



SAFETY DATA SHEET(SDS)

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name : Misumi Garbage bag

Company Name : MISUMI(THAILAND) CO.,LTD.

Address: 300/24 MOO 1, EASTERN SEABOARD INDUSTRIAL ESTATE SOI 5

T.TASITH, A.PLUAKDAENG, RAYONG 21140 THAILAND

Tel : 1382

Fax : 038-959202

Section 2 - COMPOSITION / INFORMATION ON INGREDIENTS

Sterling : High-Density Polyethylene (HDPE)

Product Name: Garbage bag

Chemical Composition

Chemical Name	FORMULA	CAS No.
HDPE	$(C_2H_4)_n$	9002-88-4
Carbon black	C	1333-86-4

Ingredients : Sulphur, ZnO, TiO₂, Colour Pigment

Section 3 - HAZARDS IDENTIFICATION

Potential Health Effects

Contact: May cause skin irritation. Wash hands with mild soap after handling. Avoid contact with eyes. If the eyes are irritated flush with water for ten minutes. Obtain medical attention. Avoid ingestion. If ingested seek medical attention.

Inhalation: Excessive inhalation can cause headache, nausea, irritation. Handle the product in minimum quantity and work in well-ventilated area.

Section 4 - FIRST AID MEASURES

General: If you feel unwell, seek medical advice.

Skin contact: Wash hands with mild soap after handling.

Eye contact: Rinse with water. Remove contact lenses, if present and easy to do. Continue rinsing. Take victim to an ophthalmologist if irritation persists.

Section 5 - FIRE FIGHTING MEASURES

Flash Point: > 450 °C

Lower Explosion Limit: N/A

Upper Explosion Limit: N/A

Fire Hazard: Stable under normal situation. Flammable / Combustible under extreme high heat and flame. Can generate toxic and combustible fumes, - carbon monoxide, nitrogen and hydrocarbon compounds, and soot.

Fire Fighting Procedures: Use full protective equipment and SCBA, filter masks, etc.

Extinguishing Media: High expansion foam, water fog and spray.

Section 6 - ACCIDENTAL RELEASE MEASURES

Release Response: Retain for recycle or disposal.

Section 7 - HANDLING AND STORAGE

Gloves shall maintain their properties when stored in dry condition at temperature between 10°C to 30°C. Protect gloves against ultraviolet light sources such as sunlight and oxidizing agents. Keep away from Heat sources, ignition sources, oxidizing agents.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Control

Use local exhaust in confined spaces where gloves are heated.

Personal Protective Equipment

Eyes : Not required. or just use goggles if gloves are heated.

Inhalation : Not required. or use face mask 3 ply

Skin : Not required. or use heat resistance gloves if heated to melting state.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Textured, embossed outside (Palm hand) , Green color

Physical State : Solid / Odor : Odorless / pH : 7 (Reference average)

Section 10: CHEMICAL STABILITY AND REACTIVITY INFORMATION

Chemical Stability : Stable at normal temperature and storage condition.

Conditions to Avoid : Avoid contact with excessive heat, sparks or open flame. Avoid dust accumulation.

Incompatibility with other materials

No specific information is available, however strong oxidizers or reducing agents which generally not compatible with compounds.

Hazardous Decomposition Products

Fumes produced when heated to decomposition temperatures may contain carbon monoxide, carbon dioxide, hydrogen cyanide, oxides of nitrogen, and small amounts of aromatic and aliphatic hydrocarbons. Combustion products from rubber, like those of other natural and synthetic materials, must be considered toxic.

Section 11: TOXICOLOGICAL INFORMATION

No information is available.

Section 12: ECOLOGICAL INFORMATION

Product of Biodegradation: Non-biodegradable.

Ecotoxicity: Considered as inert.

Section 13: WASTE TREATMENT

Waste disposal

Preferred options for disposal are (1) recycling, (2) incineration with energy recovery, and (3) landfill. The high fuel value of this product makes option 2 very desirable for material that cannot be recycled, but incinerator must be capable of scrubbing out acidic combustion products. Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations.

Incineration: Put appropriate amount of the gloves into the incinerator or furnace to destroy them following the requirements shown below.

Requirements:

- 1) Burning temperature exceeds 850°C
- 2) Combustion retention time is not less than 2 seconds

Note: Gloves should not be destroyed by open burning at low temperature or dispose at normal disposal area

Section 14: TRANSPORTATION INFORMATION

Non-dangerous goods.

Section 15: LAW INFORMATION

No information is available.

Section 16: OTHER INFORMATION

This Product Safety Data Sheet is offered solely for your information. Misumi(Thailand) Co.,Ltd provides no warranties, either express or implied, concerning the safe use of this product in your process or in combination with other substances and assumes no responsibility for the accuracy or completeness of the data contained herein. User has the sole responsibility to determine the suitability of the product for any use and the manner of use contemplated.